

Protect What Is Priceless.



The Insurance Institute for Business & Home Safety's FORTIFIED Home™—Hurricane program helps homeowners strengthen their home against the devastating power of tropical storms and hurricanes. Whether building a new single-family home or updating the resilience of your existing home, using FORTIFIED Home—Hurricane will make any home more resilient and durable, help a homeowner protect what is priceless during a disaster and:

- Provide peace of mind for homeowners, knowing their home is built to last.
- Offer top to bottom protection of the treasures that make a house a home.
- Safeguard investments made to make a home more sustainable and energy efficient.
- · Lower ownership costs.
- Improve the marketability of the home by ensuring prospective buyers know it was built to the highest standard with a transferable FORTIFIED Home designation.
- Help homeowners lower the overall cost of their community's recovery after a disaster. Studies show every \$1 spent on disaster mitigation saves \$4 in community disaster recovery expenses.

GET STARTED TODAY, VISIT HOPSONINSPECTIONS.COM

LEVELS OF DESIGNATION







Component/System	ROOF	SILVER	GOLD	
ROOF				
Roof deck is sealed				
 Roof deck attachment meets program standards 	✓	✓	√	
Roof covering condition meets standards				
ATTIC VENTILATION				
 Roof-mounted vents are high-wind rated 	1	1	√	
Gable end vents are protected against water intrusion				
GABLES OVER 4'TALL - EXTERIOR (IF APPLICABLE)				
Must have structural sheathing	✓	√	√	
Gable overhangs properly constructed				
ATTIC VENTILATION				
Soffit vents will resist water intrusion			<u> </u>	
OPENINGS				
 Impact protected with an approved system 		√	√	
ATTACHED STRUCTURES - PORCHES/CARPORTS				
 Roof connected to beam to resist uplift 			,	
Beam connected to column to resist uplift		•	•	
Column anchored to structure to resist uplift				fety
GABLES OVER 4'TALL- BRACING (IF APPLICABLE)				lome Sa
 Braced to withstand high wind pressures 			•	ness & H
CHIMNEYS (IF APPLICABLE)				r Busi
 Properly attached to structure 			-	ite fo
OPENINGS				nstitu
Have adequate design pressure ratings			√	© Insurance Institute for Business & Home Safety
CONTINUOUS LOAD PATH				© Ins
Roof-to-wall connection				051316
Wall-to-floor connection				0513
Floor-to-foundation connection				